



BELTANE
STOVES
WOODBURNING AND MULTIFUEL STOVES

ESTABLISHED IN
ATRAZ
PENNSYLVANIA




3.2

KW OUTPUT



AIRWASH
SYSTEM



5MM STEEL
BODY



CAST IRON
GRATE



25CM LOG
LENGTH

SUITABLE
FOR 12MM
FLOOR
PLATE



SMOKE
EXEMPT

MF

MULTIFUEL

BRUE



New for 2016 the 3.2kW Brue is the smallest stove in the Beltane Stoves family. Made from tough 5mm steel this small multifuel stove is ideal modern room sizes. Classed as an appliance approved by Defra to burn wood in smoke control area this, and it's compact size, makes it perfect for your home.



CHEW



4.6

KW OUTPUT



AIRWASH
SYSTEM



5MM STEEL
BODY



CAST IRON
GRATE



35CM LOG
LENGTH

SUITABLE
FOR 12MM
FLOOR
PLATE



SMOKE
EXEMPT

MF
MULTIFUEL

The Chew 4.6kW stove is the flagship of the Beltane Stoves range, fully multifuel you can burn wood or smokeless fuels on the Chew with the help of its easy to use dual air control levers. The large glass, cast iron grate and tough 5mm steel body make this stove an ideal statement piece for any room.




8

KW OUTPUT



AIRWASH
SYSTEM



5MM STEEL
BODY



CAST IRON
GRATE



35CM LOG
LENGTH

SUITABLE
FOR 12MM
FLOOR
PLATE



SMOKE
EXEMPT

MF

MULTIFUEL

SHEPPEY



The Sheppey 8kW stove is a lovely addition to any larger room, with its large glass it provides a fantastic fire view and it's easy to use with its air cooled handle. The Sheppey also has all of the mod cons including airwash system, cast iron grate and simple air controls.




MIDFORD

10

KW OUTPUT



AIRWASH
SYSTEM



5MM STEEL
BODY



CAST IRON
GRATE



50CM LOG
LENGTH

SUITABLE
FOR 12MM
FLOOR
PLATE

The Midford is an impressively sized new woodburning stove. It is built with double doors to enable easier loading of the fire box and will take a logs up to a 500mm long. If you need to heat a larger space the Midford is a good choice. Midford is built with a high specification, air washed glass, cast grates, and 30mm vermiculite chamber.




5

KW OUTPUT



AIRWASH
SYSTEM



3MM STEEL
BODY



CAST IRON
GRATE



25CM LOG
LENGTH



SMOKE
EXEMPT

MF

MULTIFUEL

HOLFORD



New for 2016 the Holford is the only inset stove within the Beltane range. With its sleek finish and air wash technology, this little inset is the perfect fit for an existing 16" british fireplace with a 3 sided frame or placed higher in the wall with the 4 sided frame.

DANBURN
Samsø



5
kW OUTPUT



SUITABLE
FOR 12MM
FLOOR
PLATE


DANBURN

Contemporary and sleek, the Danburn Samsø offers ideal log storage area under the stove, making reloading easier and bringing the fireview up into the room. The modern stylings and angular lines of the stove are a perfect match for the modern home.




5

KW OUTPUT



AIRWASH SYSTEM



3MM STEEL BODY



CAST IRON GRATE



25CM LOG LENGTH

SUITABLE FOR 12MM FLOOR PLATE

DANBURN Mandø



The Danburn Rømø & Mandø have a gently curved door and full convection body for improved heat distribution, the door is secured with multi-point locking system. Both models are fitted with a impressive combustion chamber which operates from 3kW to 7 kW. This cleanburn stove impresses well beyond its price. Available in two heights, Danburn Rømø stands at 1000mm while the Mandø is a more compact 814mm.


DANBURN

DANBURN
Laesø



6
KW OUTPUT


AIRWASH
SYSTEM


3MM STEEL
BODY


CAST IRON
GRATE


25CM LOG
LENGTH

SUITABLE
FOR 12MM
FLOOR
PLATE


DANBURN

At 6kW the Danburn Laesø offers a log storage area below the stove as well as a warming shelf built in, for everything from bread to pasties. Perfect for the modern home and family.




5

KW OUTPUT



AIRWASH SYSTEM



3MM STEEL BODY



CAST IRON GRATE



25CM LOG LENGTH

SUITABLE FOR 12MM FLOOR PLATE

DANBURN

Fanø




DANBURN



New for 2016 The Danburn Fanø is a very contemporary convection stove, The modular designed body is both beautiful and practical, fitted with large glass door and an impressive combustion chamber with cast iron grate, this stove will operate from 3kW to 7 kW.

SPECIFICATIONS

Stove	Distance to combustibles (mm)	Distance to centre of top outlet (mm)	Height to centre of rear outlet (mm)	Outlet diameter (mm)	Dimensions H x W x D (mm)	Building in dimensions H x W x D (mm)	Inset box dimensions H x W x D (mm)	Weight	Total Output W=Wood C=Smokeless Fuels	Efficiency W= Wood C= Smokeless Fuels	CO @ 13% O2
Beltane Brue	Rear: 770 Sides: 480	107	400	125	525 x 380 x 280	N/A	N/A	60kg	W & C 3.2kW	W 86% C 83%	0.25
Beltane Chew	Rear: 350 Sides: 550	130	520	125	606 x 490 x 320	N/A	N/A	70kg	W & C 4.6kW	W 80% C 78%	0.29
Beltane Sheppey	Rear: 380 Sides: 550	140	530	150	660 x 460 x 400	N/A	N/A	90kg	W & C 8.0kW	W 80 % C 72%	0.16
Beltane Midford	Rear:300 Sides:475	140	530	150	660 x 460 x 705	N/A	N/A	120	W 10kW	W77.4	0.29
Beltane Holford	Rear:n/a Sides:n/a	N/A	550	150	680 x 547 x 335	560 x 430 x 345	550 x 408 x 335	65.5kg		83.80%	
Danburn Mandø	Rear:200 Sides:300	194	690	150	814 x 510 x 479	N/A	N/A	112kg	W 5kW	W 80%	0.08
Danburn Rømø	Rear: 200 Sides:300	194	877	150	1001 x 510 x 479	N/A	N/A	112kg	W 5kW	W 80%	0.08
Danburn Samsø	Rear:200 Sides:300	148	860	150	985 x 430 x 361	N/A	N/A	91kg	W 5kW	W 82.3%	0.06
Danburn Laesø	Rear:250 Sides:600	142	N/A	150	927 x 437 x 330	N/A	N/A	68kg	W 6kW	W 81.1%	0.07
Danburn Fanø	Rear:200 Sides:300	155	665	150	800 x 440 x 450	N/A	N/A	112kg	W 5kW	W 80%	0.08





Beltane Stoves and Danburn are both covered by a 2 year guarantee against manufacturing defects. The guarantee covers the stove body but does not cover damage caused by faulty operation such as overheating of the stove. The guarantee does not cover damage to replaceable parts such as glass or firebricks.

Beltane Stoves and Danburn have a policy of continuous improvement and reserve the right to change specification without prior notice.

Beltane Stoves
Unit H1
Mendip Industrial Estate
Rooksbridge
BS26 2UG

01934 750500
info@eurostove.co.uk
www.eurostove.co.uk

Dan Burn
Tømmervej 3
6800
Varde
Danmark

01934 750500
info@eurostove.co.uk
www.eurostove.co.uk

Beltane Stoves brand is part of Eurostove Ltd.



Danburn is part of Beltane Stoves

