



Electric | Fires & Stoves

A WARM WELCOME

It's never been so easy to get the warm inviting atmosphere of a real flame fire with all the convenience, versatility and efficiency of electricity.

Using the latest Flame-Effect Technology, Gazco has created a beautiful range of fires and stoves that provide a versatile and stunning focal point for any home – and all without the need for a chimney!

Whether you want to achieve a modern, contemporary look or a more classic, traditional interior, this brochure will help you make the perfect choice, whatever your style or budget.

GAZCO
Fire Your Imagination



THE GAZCO PEDIGREE



When you choose Gazco, quality and technology are assured. From contemporary hang on the wall fires to traditional stoves, Gazco are committed to creating the ultimate in realistic electric flame effects.

Our research and development laboratories are amongst the most advanced in the industry, ensuring that the very latest innovations are incorporated into our products.

Gazco is part of the Stovax Group who offer a prestigious product range which includes everything from traditional to the ultra-contemporary in a wide array of styles and sizes, so whether your choice is solid fuel, gas, or electric you can be sure to find a stove or fireplace from our range to add the perfect warmth and character to your home. Both Gazco and Stovax offer solid fuel and gas versions of several of the fires and stoves in this brochure. Full details of the Stovax Group's range of products can be found at www.stovax.com

Gazco is an ISO9001 accredited company. Our rigorous quality control system ensures that all our appliances comply with British Safety Standards as well as stringent European regulations. All fires and stoves in the brochure are CE marked. This means they have been independently tested to exacting European standards.



Warranty Information

Your Gazco retailer will provide you with a Two Year Extended Warranty for your new electric stove or fire, providing it is registered with Gazco. Please note, this warranty excludes certain consumable parts. Stoves and Fires purchased outside of Gazco's Expert Retailer Network will carry a standard One Year Warranty. Full warranty details, terms and conditions are available at www.gazco.com.





EXPERT RETAILER NETWORK

We take great care to ensure that our stoves and fires are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you will enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room) and design, to ensure that you select the most appropriate product for your home. They will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

In addition, Gazco fires and stoves purchased from within our Expert Retailer Network will have the additional benefit of an extended warranty period, subject to terms and conditions. Full details can be found at www.gazco.com.

WALL MOUNTED FIRES



STUDIO FIRES

Studio Electric Sizes.....	6 - 7
Studio Electric Glass.....	8 - 9
Studio Electric Verve	10 - 11
Studio Verve Colour Options	12 - 13
Studio Electric E-Motiv.....	14 - 15
Studio Electric Evolve.....	16 - 17

INSET & WALL MOUNTED



RIVA2 670 FIRES

Riva2 670 Electric Designio2 Glass.....	18 - 19
Riva2 670 Electric Designio2 Steel.....	20 - 21
Riva2 670 Electric Evoke Glass	22 - 23
Riva2 670 Electric Evoke Steel.....	24 - 25
Riva2 670 Electric Verve XS.....	26 - 27

INSET FIRES



INSET FIRES

Electric Inset Fire Sizes.....	28 - 29
Studio Electric Inset.....	30 - 31
Riva2 Electric Inset	32 - 33
Riva2 Stone Mantels	34 - 35

16" FIRES



LOGIC2 FIRES

Logic2 Electric Fires.....	36 - 37
Logic2 Electric Arts	38 - 39
Logic2 Electric Chartwell	40 - 41
Logic2 Electric Wave	42 - 43
Logic2 Electric Progress	44 - 45

STOVES



TRADITIONAL & CONTEMPORARY STOVES

Marlborough Electric.....	46 - 47
Stockton Electric.....	48 - 49
Huntingdon Electric.....	50 - 51
Steel Manhattan Electric.....	52 - 53
Vision Electric.....	54 - 55



VERIFLAME™ TECHNOLOGY

Gazco's VeriFlame™ Technology enables you to switch between heat settings and even adjust the brightness of the flames to create the atmosphere you desire with the remote control.



Studio Electric 2 Verve

STUDIO ELECTRIC SIZES

The outstanding Studio Electric range is available in a choice of three sizes including a portrait option. With their simple 'hang on the wall' installation and a choice of contemporary styles, these designer electric fires can add stylish warmth to almost any room in your home. All Studio Electric fires benefit from remote operation and feature an additional thermostatic control.

Studio 1

The highly efficient Studio 1 is the most compact landscape model in the range, making it the perfect choice for adding a dramatic focal point to a smaller interior. As with all Gazco Electric fires, you can tailor the atmosphere to suit your mood or occasion. The Studio 1 lets you vary the heat output between 0.9kW or 1.8kW, as well as allowing you to enjoy the flame effect without any heat at all.



Studio 1

Studio 2

For effortless style and maximum impact, opt for a Studio 2 Electric fire. The larger dimensions make for an eye-catching focal point and accentuate the highly realistic LED flame effect. The Studio's remote provides complete control over the heat and flame settings from your fingertips. With a variable heat output between 0.9kW or 1.8kW, and the option of the flame effect without the heat, the Studio 2 offers complete versatility for your home.



Studio 2

Studio 22

The Studio 22 adds instant vertical presence to any modern interior. With its unusual yet highly attractive portrait form, the Studio 22 Electric is perfect for the contemporary living room but equally capable of making a designer statement in the study or office. On milder evenings, just sit back and enjoy the flickering flames without the heat or bring some cosy warmth to your room with a variable 0.45kW - 0.90kW heat output.



Studio 22

Studio Electric sizes shown with Verve frame

STUDIO ELECTRIC GLASS



Studio Electric 22 Glass



Studio Electric 2 Glass



Sleek, chic and contemporary, the Studio Electric Glass offers a distinctive focal point that complements any interior. Available in three sizes, this striking frame offers instant impact, whatever your room size.

Easy to fit, this designer fire can simply be hung on the wall. Its shallow depth means it will only protrude minimally into your room.

A stunning flame-effect with four levels of brightness is available at the touch of a button on your remote control. You can alter the heat output to suit your requirements, or you can even enjoy the stunning LED flame-effects with no heat at all!

Gazco's range of Studio Electric Fires has also been uniquely developed so that the fan operation controls both the heat output and flame-effect simultaneously, making it one of the quietest fan-assisted electric fires available.

Finish Choice	Heat Output	Frame Dimensions w x h x d (mm)
Black Glass	Studio 1: 0.9kW - 1.8kW Studio 2: 0.9kW - 1.8kW	Studio 1: 1120 x 675 x 118 Studio 2: 1320 x 675 x 118
Efficiency 99%	Studio 22: 0.45kW - 0.9kW (or flame effect only)	Studio 22: 675 x 1320 x 118



Remote Control

For more detailed information please see page 56.



Studio Electric 1 Glass

STUDIO ELECTRIC VERVE



Studio Electric 2 Verve in Graphite



Studio Electric 1 Verve in Graphite



Studio Electric 22 Verve in Graphite
(shown without White Stones)

The stylish Studio Electric Verve has a beautifully curved frame in a choice of three stylish finishes, making a striking designer statement that can be appreciated from all angles. Whether it's a luxurious living room or a stylish study, the hang-on-the-wall Studio Electric Verve is incredibly versatile with two landscape sizes and a portrait option to choose from.

This designer fire heats your room on command from your remote control. With two adjustable heat settings and four flame brightness levels, you can create the perfect atmosphere for every situation. Simply plug in your Studio Electric Verve and instantly enjoy the inviting glow created by our unique LED flame-effect technology.

The Studio Electric Verve comes with a removable White Stone fuel bed effect, giving you even more styling options.

Finish Choice

Graphite
Metallic Red*
Ivory*

Heat Output

Studio 1: 0.9kW - 1.8kW
Studio 2: 0.9kW - 1.8kW
Studio 22: 0.45kW - 0.9kW
(or flame effect only)

Fuel Bed Effect

White Stones

Frame Dimensions w x h x d (mm)

Studio 1: 1320 x 640 x 155
Studio 2: 1520 x 640 x 160
Studio 22: 676 x 1320 x 156

Efficiency

99%



Remote Control

Also see image on page 6. For more detailed information please see page 56.

* For more information on colour options please see overleaf

STUDIO VERVE COLOUR OPTIONS



Studio Electric 22 Verve in Metallic Red



Studio Electric 1 Verve in Metallic Red



Studio Electric 22 Verve in Ivory

As well as the stylish Graphite finish shown on the preceding pages, the Studio Verve is also offered in elegant Ivory and vibrant Red. Whether to liven your living room, brighten your bedroom or even highlight your hallway, these striking colours are sure to catch the eye and transform your interior.

The colours shown on this page are available for all three Studio Electric Verve sizes, which are also shown on pages 10 - 11.

Please use the product code for the Studio Verve of your choice, with the following suffix for your chosen colour: Metallic Red (RD) • Ivory (IV)

For example: Studio Electric 2 Verve in Metallic Red: 223-427RD

Finish Choice	Heat Output	Frame Dimensions w x h x d (mm)
Graphite	Studio 1: 0.9kW - 1.8kW	Studio 1: 1320 x 640 x 155
Metallic Red	Studio 2: 0.9kW - 1.8kW	Studio 2: 1520 x 640 x 160
Ivory	Studio 22: 0.45kW - 0.9kW (or flame effect only)	Studio 22: 676 x 1320 x 156
	Fuel Bed Effect	Efficiency
	White Stones	99%



Remote Control

For more detailed information please see page 56.

STUDIO ELECTRIC E-MOTIV



Studio Electric 22 E-Motiv
with Black Glass and Walnut



Studio Electric 2 E-Motiv with
White Glass and Light Oak



With a sophisticated two-part design, the new E-Motiv frame features a sleek glass front with a stylish wooden background for a distinctive, layered aesthetic.

Each layer can be tailored with your choice of finish. The front is available in either black or white glass whilst a choice of real Walnut or Oak veneer finishes can be selected for the wood background. Each option is fully compatible so you can choose your preferred combination of glass colour and wood finish to best suit your interior décor.

The E-Motiv is available for all three sizes of the Studio Electric including the portrait Studio Electric 22. With alluring LED flame effects, the Studio Electric E-Motiv will create a warming ambience and eye-catching aesthetics with the ultimate convenience offered by a high quality electric fire.

Rear Finish Choice†

- Walnut
- Light Oak
- Medium Oak

Front Finish Choice

- Black Glass
- White Glass

Heat Output

- Studio 1: 0.9kW - 1.8kW
- Studio 2: 0.9kW - 1.8kW
- Studio 22: 0.45kW - 0.9kW
(or flame effect only)

Frame Dimensions w x h x d (mm)

- Studio 1: 1120 x 675 x 133
- Studio 2: 1320 x 675 x 133
- Studio 22: 675 x 1320 x 133

Efficiency

99%



Remote
Control

† Wood is a natural material. There will be variations in shading and occasionally knots in the timbers used.
For more detailed information please see page 56.



Studio Electric 1 E-Motiv with
Black Glass and Medium Oak

STUDIO ELECTRIC EVOLVE



Studio Electric 1 Evolve in Walnut with Polished Steel infills



Studio Electric 2 Evolve in Medium Oak with Black Steel infills



Studio Electric 22 Evolve in Light Oak with Brushed Steel infills

The Evolve is a stylish two-part frame that features a subtly curving wooden front in a choice of Walnut or Oak finishes bordered by a sophisticated black steel rear.

The Evolve comes with contrasting Brushed Steel infills which fit into recesses on either side of the front of the frame. The Studio Evolve can be further styled to your own décor by choosing from three additional infill options; including Polished, White or Black Steel.

[†]Wood is a natural material. There will be variations in shading and occasionally knots in the timbers used. For more detailed information please see page 56.

Front Finish Choice[†]

- Walnut
- Light Oak
- Medium Oak

Rear Finish
Matt Black

Efficiency
99%

Remote Control



Studio Evolve Infill Finishes



Brushed Steel (standard) Polished Steel (upgradable) Black Steel (upgradable) White Steel (upgradable)

Heat Output

Studio 1: 0.9kW - 1.8kW
Studio 2: 0.9kW - 1.8kW
Studio 22: 0.45kW - 0.9kW
(or flame effect only)

Frame Dimensions w x h x d (mm)

Studio 1: 1000 x 640 x 144
Studio 2: 1200 x 640 x 144
Studio 22: 640 x 1200 x 144



Riva2 670 Electric Designio2 Glass

R I V A 2 6 7 0 D E S I G N I O 2 G L A S S



Riva2 670 Electric Designio2 Glass



Riva2 670 Electric Designio2 Glass

The Designio2 Glass' reflective black surfaces and subtle detailing perfectly complement this stylish electric fire. Offering chic, contemporary styling this mesmerising fire and frame choice creates an eye-catching centrepiece that can suit a wide range of interiors.

For a streamlined aesthetic, the Riva2 670 Electric can be slotted into a pre-constructed hole. Alternatively you can use the optional wall mounting box to hang your fire on a flat wall. The versatile Designio2 frame also allows the 670 Electric to be hearth mounted for a more traditional fireplace setting.

Finish Choice Black Glass	Heat Output 1.0kW - 2.0kW <i>(or flame effect only)</i>	Frame Dimensions w x h x d (mm) 735 x 569 x 40*
Fuel Bed Log effect	Efficiency 99%	



Remote Control

*Depth when recessed into wall, for more information on the optional wall-mounting box please see page 59. For more detailed information including firebox dimensions please see page 59.

RIVA 2 670 DESIGNIO2 STEEL



Riva2 670 Electric Designio2 Steel in Graphite



Riva2 670 Electric Designio2 Steel in Iridium



Riva2 670 Electric Designio2 Steel in Graphite

The Designio2 Steel is a stylish frame that has been thoughtfully shaped for the Riva2 670 Electric and sports a simple yet sophisticated design.

Finished in a choice of stylish Graphite or smart Iridium, the Designio2 Steel offers you a complete focal point with a thoroughly contemporary and cutting edge look that will complement many interiors and decors.

Offering versatile styling options, the Designio2 Steel can be wall or hearth mounted depending on your tastes. Additionally, the fire can also be installed using the optional wall mounting box, for flat wall installation.

Finish Choice Graphite Iridium	Heat Output 1.0kW - 2.0kW <i>(or flame effect only)</i>	Frame Dimensions w x h x d (mm) 735 x 569 x 40*
Fuel Bed Log effect	Efficiency 99%	



Remote Control

*Depth when recessed into wall, for more information on the optional wall-mounting box please see page 59.
For more detailed information please see page 59.

RIVA2 670 EVOKE GLASS



Riva2 670 Electric Evoke Glass
with White Glass front & Graphite rear



Riva2 670 Electric Evoke Glass with
Black Glass front & Ivory rear

The Evoke Glass is an eye-catching frame with layers of stunning reflective glass and sophisticated steel, which combine to create a stylish accompaniment to the Riva2 670 Electric. Choose from a lustrous black or white glass front to complement the bevelled rear steel section in Graphite. Alternatively the rear can be selected in elegant Ivory, offering further styling possibilities.

All Riva2 670 Electric fires can be recessed into a pre-constructed hole for a more minimalist installation but can also be hung directly on the wall with the optional wall-mounting box. See front cover for additional image.

See front cover for additional image.

Front Finishes

Black Glass
White Glass

Rear Finishes

Graphite
Ivory

Frame Dimensions w x h x d (mm)

920 x 622 x 41*

Fuel Bed

Log effect

Efficiency

99%

Heat Output

1.0kW - 2.0kW
(or flame effect only)



Remote
Control

*Depth when recessed into wall, for more information on the optional wall-mounting box please see page 59.
For more detailed information please see page 59.



Riva2 670 Electric Evoke Glass
with Black Glass front & Graphite rear



Riva2 670 Electric Evoke Steel
with Graphite front & Graphite rear

R I V A 2 6 7 0 E V O K E S T E E L



Riva2 670 Electric Evoke Steel
with Ivory front & Graphite rear



Riva2 670 Electric Evoke Steel
with Graphite front & Graphite rear

The Evoke Steel is a stunning, two-part design that blends expertly into both traditional and modern interiors. The front face of this frame comes in a Graphite finish to match the bevelled graphite rear but can also be selected in Ivory for contrast.

With variable flame effect and heating settings, and the option to enjoy the flames without any heat at all, the Riva2 Evoke Steel is as impacting in its functionality as it is in its designer aesthetics.

Front Finishes
Graphite
Ivory

Rear Finish
Graphite

Heat Output
1.0kW - 2.0kW
(or flame effect only)

Frame Dimensions w x h x d (mm)
920 x 622 x 41*

Efficiency
99%

Fuel Bed
Log effect



Remote
Control

*Depth when recessed into wall, for more information on the optional wall-mounting box please see page 59.
For more detailed information please see page 59.



Riva2 670 Electric Verve XS in Graphite

R I V A 2 6 7 0 V E R V E X S



Riva2 670 Electric Verve XS in Ivory



Riva2 670 Electric Verve XS in Graphite

The stylish Verve XS transforms the Riva2 670 with a 3D frame designed to create maximum visual impact in your home. This subtly curving frame choice comes in smart Graphite or can be finished in Ivory to suit your interior tastes.

The Riva2 670's highly realistic fuel bed is enhanced by Gazco's stunning flame-effect, offering the ambiance of a real log flame with the instant convenience of electric.

Finish Choice Graphite Ivory	Heat Output 1.0kW - 2.0kW <i>(or flame effect only)</i> Efficiency 99%	Frame Dimensions w x h x d (mm) 1000 x 621 x 56* Fuel Bed Log effect
---	--	---



Remote Control

*Depth when recessed into wall, for more information on the optional wall-mounting box please see page 59.
For more detailed information please see page 59.



Studio Electric Inset 105

ELECTRIC INSET FIRE SIZES

Studio Electric Inset 80

It's hard not to warm to the landscape form of the Studio Inset 80. This fire provides all the dramatic presence of a cassette fire, with the proportions to suit small to medium rooms. Created using the latest technology, the Studio Electric Inset 80 has two heat settings from 1 – 2kW and variable LED flame brightness settings. All of its features are easily controlled from the comfort of your sofa, using the remote control.



Studio Electric Inset 105

The longer lines of the Studio Inset 105 make a stylish designer statement in any interior. The Studio Inset 105 has two heat settings, from 1–2kW and benefits from a beautiful LED flame effect, all controlled by the easy to use remote. With no need for a chimney, the Gazco Electric fire ranges can be used to add contemporary style to almost any room in your house.



Studio Electric Inset 150

The Studio Electric Inset 150 is the biggest landscape fire in the range and therefore more suited to larger interiors. The 1-2kW heat settings, LED flame-effect and variable brightness levels are all controlled directly from your remote so you can just sit back and appreciate this stunning fire with complete ease. With its grand proportions and stunning frameless design, the Studio Electric Inset 150 makes a truly impressive statement.



Riva2 Electric 55

The Riva2 Electric 55 has a striking square design and a flame visual to match. Designed with a stunning LED flame-effect, variable brightness and 0.5kW - 1.0kW heat settings, the Riva2 Electric 55 blends form and function, controlling it all with the remote included.



Riva2 Electric 70

The Riva2 Electric 70 has a sleek and contemporary virtually square format to extend your possibilities. The frameless design emphasises the highly realistic flame effect which has variable brightness levels.

The Riva2 Electric 70 also benefits from being compatible with Gazco's exquisite collection of Natural Stone Mantels.



STUDIO ELECTRIC INSET



Studio Electric Inset 150



Studio Electric Inset 105



Studio Electric Inset 80

The Studio Electric Inset's frameless design creates a strikingly contemporary and minimalist look. Available in three different sizes and installed completely flush with the wall, the Studio Electric Inset has the versatility to complement a wide range of stylish room designs.

Relax in your favourite arm chair and enjoy heat at the touch of a button. Designed for ultimate ease of use, you can control everything from the remote control included. With two heat settings from 1 - 2kW, the Studio Electric Inset fires also benefit from variable LED flame-effects and brightness to suit your mood or ambiance.

On warmer evenings you can enjoy the fire without any additional warmth as the LED flame effect can be cleverly operated independently of the heater.

Heat Output
1.0kW – 2.0kW
(or flame effect only)

Efficiency
99%

Dimensions w x h (mm)
Studio Electric Inset 80: 800 x 380
Studio Electric Inset 105: 1050 x 380
Studio Electric Inset 150: 1500 x 380



Remote Control

For more detailed information please see page 57.

RIVA2 ELECTRIC INSET



Riva2 Electric Inset 55



Riva2 Electric Inset 70



Creating an impressive focal point in any setting, the Riva2 Electric range offers captivating flame-effects in a choice of sizes to suit a range of interiors.

Featuring one touch heat, two adjustable heat settings and variable brightness, the Riva2 is so versatile that you can create a bespoke atmosphere for any occasion. Alternatively, you can switch off the heat and simply enjoy the authentic atmosphere created by our unique LED flame-effect technology.

You can further increase your design possibilities by pairing your Riva2 Electric 70 with a selection of timeless Riva2 Natural Stone Mantels as shown on pages 34 - 35.

Heat Output

Riva2 Electric Inset 55: 0.5kW - 1.0kW
Riva2 Electric Inset 70: 1.0kW - 2.0kW
(or flame effect only)

Efficiency

99%

Dimensions w x h (mm)

Riva2 Electric Inset 55: 550 x 550
Riva2 Electric Inset 70: 700 x 650



Remote Control

For more detailed information please see page 59.



Riva2 Electric 55

RIVA 2 ELECTRIC STONE MANTELS



Claremont

Cavendish Bolection

Georgian Roundel

Grafton

Sandringham

For sheer elegance and ultimate sophistication, you can combine your Riva2 Electric 70 fire with one of Gazco's beautiful natural stone mantels. There are six designs to suit both traditional and modern decorative styles, each available in either the clean look of antique white marble or the gentle warmth of natural limestone.

A Riva2 Electric stone mantel provides you with the highest levels of aesthetic and tactile appeal from the hand-finished craftsmanship that goes into each and every one.

Mantel Styles	Dimensions w x h (mm) [†]	Mantel Stone Choice
Claremont	1555 x 1143	Antique White Marble
Cavendish Bolection	1460 x 1320	Limestone
Georgian Roundel	1460 x 1082	
Grafton	1415 x 1165	
Sandringham	1550 x 1220	
Victorian Corbel	1525 x 1170	
		Heat Output 1.0kW - 2.0kW (or flame effect only)
		Fire Dimensions w x h (mm) 700 x 650
		Efficiency 99%



Remote Control

* Our stone mantels are crafted from high quality, natural material and therefore will contain naturally occurring veining, subtle tonal differences and indeed, small fossils that may be found in the limestone or marble.

[†] Overall visible dimensions upon installation. For more detailed information, including firebox dimensions please see page 57.



Riva2 Electric 70 with Victorian Corbel Mantel in Limestone



Logic2 Electric Chartwell with Brushed Steel Effect Frame, Highlight Polished Front and Grey Pebble fuel effect. Shown with Claremont Limestone mantel, Stovax Burlington Cast front and Polished Insert Panel.

LOGIC2 ELECTRIC FIRES

Featuring advanced LED technology, the Logic2 Electric Inset fire range offers captivating, life-like flame visuals for instant fireside ambience. Designed to fit easily into a standard fireplace opening, 3" rebated mantel with slip or simply against a flat wall using the optional spacer frame, this versatile fire can be enjoyed in almost any interior setting.

The Logic2 features two LED flame effects including deep amber for a warm and inviting atmosphere, as well as cool blue for an eye-catching contemporary focal point. Using the handset that gives you full control over the fire's features, the Logic2's flames can be set to high and low brightness settings and can also be displayed with or without the heat if desired.



Enhancing the visual effects, the Logic2 Electric comes complete with three easily interchangeable fuel beds which each add a unique aesthetic to the fire. The log arrangement adds a traditional woodburning feel, or, switch to either white and clear stones or grey pebbles for a strikingly contemporary look.

The versatile Logic2 has a choice of modern and traditionally styled frames and fronts (shown on the following pages) that allow you to customise your fire to suit your home.

3 INTERCHANGEABLE FUEL EFFECTS



Log-effect



White & Clear Stones



Grey Pebbles



Logic2 Electric Wave with Polished Steel Effect Frame , Polished Front and Log-effect fuel bed on blue flame setting. Shown with White Brompton wooden mantel from Stovax.



Logic2 Electric Arts with Highlight Polished front, Brushed Steel effect frame and White & Clear Stone fuel effect. Also shown: Art Deco wooden mantel in white, available from Stovax.

LOGIC2 ELECTRIC ARTS



Logic2 Electric Arts with Matt Black front, Brushed Steel effect frame, & White & Clear Stone fuel effect on blue flame setting. Shown with optional Spacer Frame.



Logic2 Electric Arts with Polished Brass effect fret & frame with Log-effect fuel bed.



Logic2 Electric Arts with Polished effect fret, Polished Steel effect frame and Log-effect fuel bed

Taking its design origins from the Arts and Crafts movement in the early twentieth century, the Logic2 Arts embraces simplicity and clean styling. Available in a range of front and frame finishes, the Arts can be selected in a variety of combinations to suit your tastes. Using the optional spacer frame the Arts can also be installed without having to be inset the fire into a wall, minimising building work.

For more detailed information please see page 58.

Finish Combinations

Frame Choice	Front Choice
Matt Black	Matt Black
	Brass effect
	Polished effect
Brass effect	Highlight Polished
	Brass effect
	Matt Black
Polished Steel effect	Polished effect
	Highlight Polished
	Matt Black
Brushed Steel effect	Polished effect
	Highlight Polished
	Matt Black

Interchangeable Fuel Beds

Log effect
White & Clear Stones
Grey Pebbles

Heat Output

1.0kW - 2.0kW (or flame effect only)

Flame Visual Settings

Deep Amber or Cool Blue

Dimensions w x h (mm)

510 x 609

Efficiency

99%



Remote Control

LOGIC2 ELECTRIC CHARTWELL



Logic2 Electric Chartwell with Matt Black front and frame, with White & Clear Stone fuel effect.



Logic2 Electric Chartwell with Polished effect front, Polished Steel effect frame, and Log-effect fuel bed on blue flame setting.



Logic2 Electric Chartwell with Polished-effect Brass front and frame, with Log-effect fuel bed.

The elegant Logic2 Chartwell instantly evokes the heritage and classical styling of a traditional fireplace. Available in various front and frame finishes, the Chartwell can be combined with Gazco's many mantels, fronts and insert panels to create the perfect fireplace for your home.

For easy installation, each frame choice can be used with the optional spacer frame which allows the Logic2 to be fitted directly against a flat wall.

See page 36 for additional image.

For more detailed information please see page 58.

Finish Combinations

Frame Choice	Front Choice
Matt Black	Matt Black
	Brass effect
	Polished effect
	Highlight Polished
Brass effect	Brass effect
	Matt Black
Polished Steel effect	Polished effect
	Highlight Polished
	Matt Black
Brushed Steel effect	Polished effect
	Highlight Polished
	Matt Black

Interchangeable Fuel Beds

Log effect
White & Clear Stones
Grey Pebbles

Heat Output

1.0kW - 2.0kW (or flame effect only)

Flame Visual Settings


Deep Amber or Cool Blue

Dimensions w x h (mm)

510 x 609

Efficiency

99%



Remote Control



Logic2 Electric Chartwell with Highlight Polished front, Matt Black frame, and Grey Pebble fuel bed. Shown with Stovax Malmo wooden mantel in white.



Logic2 Electric Wave with Polished Steel Effect frame, Matt Black front with Log effect fuel bed. Shown with Malmo wooden mantel in White from Stovax.

LOGIC2 ELECTRIC WAVE



Logic2 Electric Wave with Matt Black frame and front with White & Clear Stone fuel bed on blue flame setting.



Logic2 Electric Wave with Polished Steel Effect frame, Polished effect front with Grey Pebble fuel bed.

Blending modern and traditional styling, the Logic2 Wave features smooth lines and refined curves, suiting both contemporary and period interiors alike. The Wave can be selected in Black, Polished Steel, Brushed Steel and Brass with the option to combine different frame and front finishes for unique styling. Logic2 Wave fires are available with an optional spacer frame which allows the fire to be quickly and easily fitted onto a flat wall, if desired.

See page 37 for additional image.

For more detailed information please see page 58.

Finish Combinations

Frame Choice	Front Choice
Matt Black	Matt Black
	Brass effect
	Polished effect
	Highlight Polished
Brass effect	Brass effect
Polished Steel effect	Matt Black
	Polished effect
	Highlight Polished
Brushed Steel effect	Matt Black
	Polished effect
	Highlight Polished

Interchangeable Fuel Beds

Log effect
White & Clear Stones
Grey Pebbles

Heat Output

1.0kW - 2.0kW (or flame effect only)

Flame Visual Settings


Deep Amber or Cool Blue

Dimensions w x h (mm)

510 x 609

Efficiency

99%



Remote Control

LOGIC2 ELECTRIC PROGRESS



Logic2 Electric Progress with Log effect fuel bed



Logic2 Electric Progress with Grey Pebble fuel bed



The ultra-contemporary Progress front's minimalist styling perfectly complements the advanced Logic2 fire. Featuring a smoothly curving front with a striking Iridium finish, this modern fire effortlessly makes for a designer centrepiece in any interior.

The versatile Logic2 fire range is designed to be fitted into a standard fireplace opening or flat against the wall with either a 3" rebated mantel with slip or by using the optional spacer frame.

For more detailed information please see page 58.

Finish

Iridium

Heat Output

1.0kW - 2.0kW
(or flame effect only)

Dimensions w x h (mm)

520 x 602

Interchangeable Fuel Beds

Log effect
White & Clear Stones
Grey Pebbles

Flame Visual Settings

Deep Amber or Cool Blue

Efficiency

99%



Remote Control



Logic2 Electric Progress with White & Clear Stone fuel bed on blue flame setting. Also shown: Malmo wooden mantel in white available from Stovax.

M A R L B O R O U G H E L E C T R I C



Medium Marlborough Electric



Small Marlborough Electric



The Marlborough Electric offers you an amazingly realistic log-effect fire at the touch of a button in two different sizes. At its heart is Gazco's unique VeriFlame™ technology which allows you to choose from two heat settings that can both be thermostatically controlled*; three brightness levels, plus the additional option for a blue flame-effect when set to high. You can even turn off the heat and just watch the stunning flame-effects.

Gazco Electric Stoves simply plug into a 13amp socket, so are particularly suited for conservatories, bedrooms or studies, in fact any room without a chimney.

Finish
Matt Black

Fuel Bed
Log effect

Heat Output
1.0kW - 2.0kW
(or flame effect only)

Size w x h x d (mm)
Small: 410 x 553 x 360
Medium: 590 x 583 x 410

Efficiency
99%



Remote Control

For more detailed information please see page 59.

*The thermostat is controlled manually from the stove



Medium Marlborough Electric

STOCKTON ELECTRIC



Small Stockton Electric



Medium Stockton Electric



With a stunning cast iron door and heavy gauge steel body, the Stockton Electric combines the classic looks of a woodburning stove with the ease and convenience of Gazco's unique VeriFlame™ technology.

This means you can enjoy two heat settings that can be thermostatically controlled*, three flame intensity levels, plus the additional option for a blue flame effect when set to high. Creating a remarkably authentic log effect fire, the Stockton Electric creates a superb focal point in any room.

The Stockton Electric range is available in three sizes; Stockton Small, Stockton 5 and Stockton Medium.

Finish
Matt Black

Fuel Bed
Log effect

Heat Output
1.0kW - 2.0kW
(or flame effect only)

Size w x h x d (mm)
Small: 422 x 525 x 340
5: 481 x 544 x 337
Medium: 579 x 618 x 411

Efficiency
99%



Remote Control

For more detailed information please see page 60.

*The thermostat is controlled manually from the stove



Stockton 5 Electric

HUNTINGDON ELECTRIC



Huntingdon 30 Electric with Tracery Door in Matt Ivory



Huntingdon 20 Electric with Tracery Door in Matt Black



Huntingdon 30 Electric with Tracery Door in Ivory Enamel

The fine castings of the Huntingdon Electric range are brought alive with Gazco's VeriFlame™ technology, which gives you two heat settings that can both be thermostatically controlled*. In addition, there are also three flame brightness levels to choose from as well as the option of a blue flame effect on the highest heat setting.

Your choice of flame effect is set against the highly realistic fuel bed and individually hand painted logs, perfectly mirroring the look and atmosphere of a real woodburning stove. The Huntingdon Electric range is available in a number of finishes to complement your home. For even more styling options, each size is also offered in either clear door or tracery door versions.

See additional images on front cover and page 61.

Colour Choice

Paint Finishes

Matt Black
Matt Ivory

Enamel Finishes

Ivory

Door Choice

Tracery Door
Clear Door

Fuel Bed

Log effect

Heat Output

1.0kW - 2.0kW
(or flame effect only)

Size w x h x d (mm)

20: 413 x 536 x 324
30: 560 x 592 x 351
40: 641 x 653 x 397

Efficiency

99%



Remote Control

For more detailed information please see page 59.

* The thermostat is controlled manually from the stove.



Huntingdon 40 Electric with Clear Door in Matt Black



Medium Electric Steel Manhattan in Brushed Stainless Steel

STEEL MANHATTAN ELECTRIC



Medium Steel Manhattan Electric in Brushed Stainless Steel



Small Steel Manhattan Electric in Anthracite

Contemporary, convenient and comforting, the small and medium Steel Manhattan Electric stoves both provide clean lines and contemporary styling, featuring a contrasting cast iron grill plate in the stove top.

With a highly realistic log-effect fire and up to 2kW of heat, you can achieve the perfect ambiance, all at the press of a button on your remote control*.

Both versions benefit from our unique VeriFlame™ technology which offers you three different glow intensities and even an additional blue flame option on the high setting.

Finish Choice
Anthracite
Brushed Stainless Steel

Fuel Bed
Log effect

Heat Output
1.0kW - 2.0kW
(or flame effect only)

Size w x h x d (mm)
Small: 540 x 633 x 360
Medium: 709 x 683 x 425

Efficiency
99%



Remote Control

For more detailed information please see page 60.

*The thermostat is controlled manually from the stove



Vision Midi Electric

V I S I O N E L E C T R I C



Vision Midi Electric on Riva 45 Low Bench



Vision Medium Electric



Vision Small Electric on Riva 100 High Bench

The Vision is a contemporary, electric stove that comes in three sizes: Small, Midi and Medium; each sporting a highly reflective black glass door, integral glass plinth, black glass top plate and contrasting stainless steel detailing for a clean stylish look.

Incorporating an eye-catching flame effect created using Gazco's unique Veriflame™ technology, the Vision's alluring visuals glow over a realistic hand painted log-effect fuel bed to give all the ambiance and depth of a real log fire.

The three brightness levels can be easily altered at the touch of a button on the remote control* to create a look to suit your mood. Furthermore, each level is available with or without the 1-2kW of heat output, so you can enjoy the ambiance created by your electric stove whatever the season!

To increase your interior design possibilities, you can enhance your Vision by choosing from one of ten stylish Riva Stove Benches as shown on page 60.

Finish
Black Glass

Fuel Bed
Log effect

Heat Output
1.0kW - 2.0kW
(or flame effect only)

Efficiency
99%

Size w x h x d (mm)
Small: 370 x 555 x 299
Midi: 415 x 604 x 320
Medium: 535 x 676 x 363



Highly reflective stove lining



Remote Control

For more detailed information please see page 60.
*The thermostat is controlled manually from the stove

STUDIO ELECTRIC

Product Code	Frame	Finish	Frame Size (mm)			Flame Viewing Area (w x h)	Heat Output	Efficiency
			w	h	d			
STUDIO 1								
223-202	Verve*	Graphite	1320	640	155	650 x 324	0.9 - 1.8kW	99%
223-094	Glass	Black Glass	1120	675	118	650 x 324	0.9 - 1.8kW	99%
223-026	E-Motiv †	Medium Oak Rear & Black Glass Front	1120	675	133	650 x 324	0.9 - 1.8kW	99%
223-002	E-Motiv †	Light Oak Rear & Black Glass Front	1120	675	133	650 x 324	0.9 - 1.8kW	99%
223-048	E-Motiv †	Walnut Rear & Black Glass Front	1120	675	133	650 x 324	0.9 - 1.8kW	99%
223-207	E-Motiv †	Medium Oak Rear & White Glass Front	1120	675	133	650 x 324	0.9 - 1.8kW	99%
223-219	E-Motiv †	Light Oak Rear & White Glass Front	1120	675	133	650 x 324	0.9 - 1.8kW	99%
223-212	E-Motiv †	Walnut Rear & White Glass Front	1120	675	133	650 x 324	0.9 - 1.8kW	99%
223-303	Evolve †	Medium Oak Front - Brushed Steel Infills	1000	540	144	650 x 324	0.9 - 1.8kW	99%
223-316	Evolve †	Light Oak Front - Brushed Steel Infills	1000	540	144	650 x 324	0.9 - 1.8kW	99%
223-310	Evolve †	Walnut Front - Brushed Steel Infills	1000	540	144	650 x 324	0.9 - 1.8kW	99%

STUDIO 2

223-427	Verve*	Graphite	1520	640	160	850 x 324	0.9 - 1.8kW	99%
223-335	Glass	Black Glass	1320	675	118	850 x 324	0.9 - 1.8kW	99%
223-053	E-Motiv	Medium Oak Rear & Black Glass Front	1320	675	133	850 x 324	0.9 - 1.8kW	99%
223-016	E-Motiv †	Light Oak Rear & Black Glass Front	1320	675	133	850 x 324	0.9 - 1.8kW	99%
223-070	E-Motiv †	Walnut Rear & Black Glass Front	1320	675	133	850 x 324	0.9 - 1.8kW	99%
223-224	E-Motiv †	Medium Oak Rear & White Glass Front	1320	675	133	850 x 324	0.9 - 1.8kW	99%
223-240	E-Motiv †	Light Oak Rear & White Glass Front	1320	675	133	850 x 324	0.9 - 1.8kW	99%
223-231	E-Motiv †	Walnut Rear & White Glass Front	1320	675	133	850 x 324	0.9 - 1.8kW	99%
223-325	Evolve †	Medium Oak Front - Brushed Steel Infills	1200	640	144	850 x 324	0.9 - 1.8kW	99%
223-342	Evolve †	Light Oak Front - Brushed Steel Infills	1200	640	144	850 x 324	0.9 - 1.8kW	99%
223-339	Evolve †	Walnut Front - Brushed Steel Infills	1200	640	144	850 x 324	0.9 - 1.8kW	99%


STUDIO 22

223-710	Verve*	Graphite	676	1320	156	324 x 850	0.45 - 0.9kW	99%
223-557	Glass	Black Glass	675	1320	118	324 x 850	0.45 - 0.9kW	99%
223-092	E-Motiv †	Medium Oak Rear & Black Glass Front	675	1320	133	324 x 850	0.45 - 0.9kW	99%
223-077	E-Motiv †	Light Oak Rear & Black Glass Front	675	1320	133	324 x 850	0.45 - 0.9kW	99%
223-101	E-Motiv †	Walnut Rear & Black Glass Front	675	1320	133	324 x 850	0.45 - 0.9kW	99%
223-273	E-Motiv †	Medium Oak Rear & White Glass Front	675	1320	133	324 x 850	0.45 - 0.9kW	99%
223-296	E-Motiv †	Light Oak Rear & White Glass Front	675	1320	133	324 x 850	0.45 - 0.9kW	99%
223-285	E-Motiv †	Walnut Rear & White Glass Front	675	1320	133	324 x 850	0.45 - 0.9kW	99%
223-371	Evolve †	Medium Oak Front - Brushed Steel Infills	640	1200	144	324 x 850	0.45 - 0.9kW	99%
223-393	Evolve †	Light Oak Front - Brushed Steel Infills	640	1200	144	324 x 850	0.45 - 0.9kW	99%
223-388	Evolve †	Walnut Front - Brushed Steel Infills	640	1200	144	324 x 850	0.45 - 0.9kW	99%

*For details on how to order a Studio Electric Verve in other colour options please see page 13.

† Whilst Stocks Last


STUDIO ELECTRIC 1 AND 2



Studio Electric Fire Dimensions (mm)

	Studio 1	Studio 2	Studio 22
A	822	1045	492
B	549	549	1062
C	416	416	929
D	98	98	98

STUDIO ELECTRIC 22



INFILL SETS FOR THE STUDIO 1,2 & 3 EVOLVE


923-894	Studio 1 & 2 Evolve Infill Set - Polished Steel
923-916	Studio 1 & 2 Evolve Infill Set - Brushed Steel
923-930	Studio 1 & 2 Evolve Infill Set - Black Steel
923-941	Studio 1 & 2 Evolve Infill Set - White Steel

INFILL SETS FOR THE STUDIO 22 EVOLVE

923-736	Studio 22 Evolve Infill Set - Polished Steel
923-580	Studio 22 Evolve Infill Set - Brushed Steel
923-621	Studio 22 Evolve Infill Set - Black Steel
923-361	Studio 22 Evolve Infill Set - White Steel


INSET FIRES

STUDIO ELECTRIC INSET DIMENSIONS



The shaded area of the diagrams indicates the visible part of the fire upon installation.

RIVA2 ELECTRIC INSET DIMENSIONS



Inset Fires Dimensions (mm)

	A	B	C	D	E	F	G	H
Studio Inset 150	1500	1877	380	622	152	167	585	1834
Studio Inset 105	1050	1460	380	624	152	167	585	1417
Studio Inset 80	800	1145	380	622	152	167	585	1102
Riva2 70	700	1045	650	902	152	167	865	1002
Riva2 55	550	895	550	792	152	167	755	852

Fire Information

Product Code	Model	Heat Output	Efficiency
223-044	Studio Electric Inset 150	1.00 - 2.00kW	99%
223-136	Studio Electric Inset 105	1.00 - 2.00kW	99%
223-378	Studio Electric Inset 80	1.00 - 2.00kW	99%
234-209	Riva 2 Electric 70	1.00 - 2.00kW	99%
234-016	Riva 2 Electric 55	0.50 - 1.00kW	99%

RIVA2 ELECTRIC STONE MANTELS

Product Code	Description	Finish	Overall Width (mm)	Height (mm)	Shelf Depth (mm)	Leg to leg outer (mm)
9002CLWM	Claremont (requires slip set)	Antique White Marble	1555	1143	190	1331
9002CLTL	Claremont (requires slip set)	Limestone	1555	1143	190	1331
9000CAWM	Cavendish Bolection (requires slip set)	Antique White Marble	1460	1320	207	1270
9000CATL	Cavendish Bolection (requires slip set)	Limestone	1460	1320	207	1270
9001GEWM	Georgian Roundel (requires slip set)	Antique White Marble	1460	1082	200	1277
9001GETL	Georgian Roundel (requires slip set)	Limestone	1460	1082	200	1277
9003GRWM	Grafton (requires slip set)	Antique White Marble	1415	1165	105	1415
9003GRTL	Grafton (requires slip set)	Limestone	1415	1165	105	1415
9004VIWM	Victorian Corbel (requires slip set)	Antique White Marble	1525	1170	250	1375
9004VITL	Victorian Corbel (requires slip set)	Limestone	1525	1170	250	1375
9005SAWM	Sandringham (requires slip set)	Antique White Marble	1550	1220	227	1325
9005SATL	Sandringham (requires slip set)	Limestone	1550	1220	227	1325

SLIP SETS

Product Code	Description	Finish
934-736	Slip set for Stone Mantel	Antique White Marble
934-015	Slip set for Stone Mantel	Limestone


HEARTHES

Product Code	Description	Finish	Overall Width (mm)	Height (mm)	Shelf Depth (mm)
934-241	Small Hearth for Stone Mantel	Antique White Marble	1524	53	228
934-193	Small Hearth for Stone Mantel	Limestone	1524	53	228
934-489	Large Hearth for Stone Mantel	Antique White Marble	1625	53	457
934-351	Large Hearth for Stone Mantel	Limestone	1625	53	457

Our stone mantels are crafted from high quality, natural material and therefore will contain naturally occurring veining, subtle tonal differences and indeed, small fossils that may be found in the limestone.


LOGIC2 ELECTRIC

PROGRESS FRAME DIMENSIONS



* The depth of the Logic2 Electric fires are increased by 6mm when using an optional spacer frame.

ARTS, WAVE & CHARTWELL DIMENSIONS



Product Code	Front	Frame Finish	Front Finish	Heat Output	Efficiency
Wave Fire Information					
201-416	Wave	Matt Black	Matt Black	1.00 - 2.00kW	99%
201-504	Wave	Matt Black	Brass Effect	1.00 - 2.00kW	99%
201-360	Wave	Matt Black	Polished Effect	1.00 - 2.00kW	99%
201-384	Wave	Matt Black	Highlight Polished	1.00 - 2.00kW	99%
201-688	Wave	Brass Effect	Brass Effect	1.00 - 2.00kW	99%
201-717	Wave	Polished Steel Effect	Matt Black	1.00 - 2.00kW	99%
201-591	Wave	Polished Steel Effect	Polished Effect	1.00 - 2.00kW	99%
201-828	Wave	Polished Steel Effect	Highlight Polished	1.00 - 2.00kW	99%
201-757	Wave	Brushed Steel Effect	Matt Black	1.00 - 2.00kW	99%
201-269	Wave	Brushed Steel Effect	Polished Effect	1.00 - 2.00kW	99%
201-323	Wave	Brushed Steel Effect	Highlight Polished	1.00 - 2.00kW	99%

Chartwell Fire Information

201-742	Chartwell	Matt Black	Matt Black	1.00 - 2.00kW	99%
201-708	Chartwell	Matt Black	Brass Effect	1.00 - 2.00kW	99%
201-655	Chartwell	Matt Black	Polished Effect	1.00 - 2.00kW	99%
201-626	Chartwell	Matt Black	Highlight Polished	1.00 - 2.00kW	99%
201-554	Chartwell	Brass Effect	Brass Effect	1.00 - 2.00kW	99%
201-511	Chartwell	Polished Steel Effect	Matt Black	1.00 - 2.00kW	99%
201-392	Chartwell	Polished Steel Effect	Polished Effect	1.00 - 2.00kW	99%
201-314	Chartwell	Polished Steel Effect	Highlight Polished	1.00 - 2.00kW	99%
201-293	Chartwell	Brushed Steel Effect	Matt Black	1.00 - 2.00kW	99%
201-024	Chartwell	Brushed Steel Effect	Polished Effect	1.00 - 2.00kW	99%
201-070	Chartwell	Brushed Steel Effect	Highlight Polished	1.00 - 2.00kW	99%

Progress Fire Information

201-103	Progress	Iridium		1.00 - 2.00kW	99%
---------	----------	---------	--	---------------	-----

LOGIC2 ELECTRIC OPTIONS

Logic2 Electric Optional Spacer Frames[†]

901-815	Logic2 Electric Arts, Chartwell & Wave Spacer Frame - Black
901-860	Logic2 Electric Progress Spacer Frame - Graphite

[†] Logic2 Electric Spacer Frames are for use when installing onto a flat wall.


RIVA2 670 ELECTRIC

Fire Information

Product Code	Fuel Effect	Heat Output	Efficiency	Opening Size (mm)		
				w	h	d
234-872	Logs	1.00 - 2.00kW	99%	665	535	105

Riva2 670 Electric Accessory

8688SL	Wall mounting box for Riva2 670 Electric Cassette 234-872
--------	---



The wall mounting box allows you to hang your Riva2 670 directly onto the wall, without the need for an opening or recess.

Frame Information

Product Code	Description	Frame Finish	Frame Size (mm)		
			w	h	d
934-339	Designio2 frame	Black Glass	735	569	40
934-238	Designio2 frame	Graphite	735	569	40
934-238IR	Designio2 frame	Iridium	735	569	40
934-529	Evoke frame	Black Glass front with Graphite rear	920	622	41
934-529IV	Evoke frame	Black Glass front with Ivory rear	920	622	41
934-558	Evoke frame	White Glass front with Graphite rear	920	622	41
934-558IV	Evoke frame	White Glass front with Ivory rear	920	622	41
934-601	Evoke frame	Graphite front with Graphite rear	920	622	41
934-601IV	Evoke frame	Ivory front with Graphite rear	920	622	41
934-143	Verve XS frame	Graphite	1000	621	56
934-143IV	Verve XS frame	Ivory	1000	621	56



Riva2 670 Electric Verve XS in Graphite


ELECTRIC STOVES

MARLBOROUGH ELECTRIC

Product Code	Model	Colour	Fuel Effect	Heat Output	Efficiency
E8560	Small	Matt Black	Logs	1.00 - 2.00kW	99%
E8610	Medium	Matt Black	Logs	1.00 - 2.00kW	99%

Dimensions (mm)


	A	B	C	D	Weight
Small	410	558	360	280	35kg
Medium	590	583	410	330	48kg



HUNTINGDON ELECTRIC

Dimensions (mm)

	A	B	C	D	Weight
20	413	536	324	62	35kg
30	560	592	351	96	52kg
40	641	653	397	99	59.5kg



Product Code	Model	Colour	Fuel Effect	Door Type	Heat Output	Efficiency
615-461	20	Matt Black	Logs	Tracery	1.00 - 2.00kW	99%
615-483	20	Matt Ivory	Logs	Tracery	1.00 - 2.00kW	99%
615-495	20	Ivory Enamel	Logs	Tracery	1.00 - 2.00kW	99%
615-475	20	Matt Black	Logs	Clear	1.00 - 2.00kW	99%
615-490	20	Matt Ivory	Logs	Clear	1.00 - 2.00kW	99%
615-499	20	Ivory Enamel	Logs	Clear	1.00 - 2.00kW	99%
E8503	30	Matt Black	Logs	Tracery	1.00 - 2.00kW	99%
E8503IV	30	Matt Ivory	Logs	Tracery	1.00 - 2.00kW	99%
615-567	30	Ivory Enamel	Logs	Tracery	1.00 - 2.00kW	99%
615-552	30	Matt Black	Logs	Clear	1.00 - 2.00kW	99%
615-564	30	Matt Ivory	Logs	Clear	1.00 - 2.00kW	99%
615-573	30	Ivory Enamel	Logs	Clear	1.00 - 2.00kW	99%
615-501	40	Matt Black	Logs	Tracery	1.00 - 2.00kW	99%
615-514	40	Matt Ivory	Logs	Tracery	1.00 - 2.00kW	99%
615-527	40	Ivory Enamel	Logs	Tracery	1.00 - 2.00kW	99%
615-520	40	Matt Black	Logs	Clear	1.00 - 2.00kW	99%
615-536	40	Matt Ivory	Logs	Clear	1.00 - 2.00kW	99%
615-545	40	Ivory Enamel	Logs	Clear	1.00 - 2.00kW	99%


ELECTRIC STOVES (CONTINUED)

STOCKTON ELECTRIC

Product Code	Model	Colour	Fuel Effect	Heat Output	Efficiency
E8573	Small	Matt Black	Logs	1.00 - 2.00kW	99%
E8575	5	Matt Black	Logs	1.00 - 2.00kW	99%
E8617	Medium	Matt Black	Logs	1.00 - 2.00kW	99%

Dimensions (mm)

	A	B	C	D	Weight
Small	422	525	290	50	57kg
Medium	579	618	345	66	82kg
5	481	544	273	64	55kg




STEEL MANHATTAN ELECTRIC †

Product Code	Model	Steel Finish	Fuel Effect	Heat Output	Efficiency
E8622AN	Small	Anthracite	Logs	1.00 - 2.00kW	99%
E8622BS	Small	Brushed Stainless Steel	Logs	1.00 - 2.00kW	99%
E8619AN	Medium	Anthracite	Logs	1.00 - 2.00kW	99%
E8619BS	Medium	Brushed Stainless Steel	Logs	1.00 - 2.00kW	99%

Dimensions (mm)

	A	B	C	Weight
Small	633	540	360	33kg
Medium	683	709	425	44kg




† Whilst Stocks Last

VISION ELECTRIC

Product Code	Model	Finish	Fuel Effect	Heat Output	Efficiency
634-680	Small	Black Glass	Logs	1.00 - 2.00kW	99%
634-733	Midi	Black Glass	Logs	1.00 - 2.00kW	99%
634-795	Medium	Black Glass	Logs	1.00 - 2.00kW	99%

Dimensions (mm)

	A	B	C	Weight
Small	370	555	297	24kg
Midi	415	604	317	28kg
Medium	535	676	363	38kg



RIVA BENCHES



- 2 heights
- 5 lengths
- Sturdy steel construction
- Durable Matt Black finish
- 60mm wide legs

Riva Bench - Low

45 Low RVACLB45B
100 Low ... RVACLB100B
120 Low ... RVACLB120B
140 Low ... RVACLB140B
180 Low ... RVACLB180B



Riva Bench - High

45 High RVACB45B
100 High... RVACB100B
120 High... RVACB120B
140 High... RVACB140B
180 High... RVACB180B



Dimensions:
width x height x depth



RADIANCE ELECTRIC FIRES



Radiance 195R Inset Edge



Radiance 80W Glass in White Glass

The very latest addition to grace the Gazco Electric range, the Radiance series brings together stylish design and advanced flame technology to create an electric fire with mesmerising effects.

Offering a captivating, realistic flame picture in a choice of effects and colours, this designer fire is available in either wall mounted or inset versions, as well as a variety of sizes and styling options for optimal versatility. A choice of beautiful frames and eye-catching fuel effects allow for individual tailoring to your décor – radiating the utmost sophistication and style.

Featuring our state of the art Chromalight™ LED technology, some fires in the Radiance series incorporate a 12 colour chromotherapy backlighting system, letting you bask in the serenity of a soothing, gradually changing colour spectrum or using the handset, immerse yourself in your favourite aura – at the touch of a button.



For more information on the full Radiance range or other Gazco products, please contact your local retailer or visit www.gazco.com



Radiance 150W Glass in Black Glass



Gazco Limited, Osprey Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7JG

Tel: 01392 261900 • **Fax:** 01392 444148 • **Export Sales:** 00 44 1392 261990 • **Email:** info@gazco.com

www.gazco.com

Gazco pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments.

Exact product details should be discussed with your retailer at the time of purchase.

Paper sourced from sustainable forests and printed using vegetable based inks • © All material copyright Gazco Ltd 2017 E & O E • *A member of the Stovax group*



To view & download our complete range of brochures, simply scan this code or visit www.gazco.com



Brochure ref: GZELECTRIC0917



Other product brochures from the Gazco family which may be of interest to you can be downloaded from our website www.gazco.com